

**August 2006**

**Provider Bulletin Number 647**

## **Prosthetic and Orthotic Providers**

### **Procedure Code Updates**

Effective with dates of service on and after September 1, 2006, the following procedure codes will be covered:

L2035	L2628	L4370	L5702	L5966	L6632	L6809	L7045
L2038	L2768	L4380	L5704	L5968	L6637	L6810	L7170
L2180	L2785	L4392	L5705	L5972	L6641	L6867	L7180
L2182	L2830	L4394	L5706	L5975	L6642	L6872	L7181
L2184	L3170	L4396	L5707	L5976	L6686	L6873	L7185
L2186	L3251	L4398	L5711	L5980	L6687	L6881	L7186
L2188	L3252	L5643	L5790	L5985	L6688	L6882	L7190
L2190	L3253	L5645	L5795	L5988	L6689	L6945	L7191
L2192	L3260	L5647	L5855	L5990	L6690	L7010	L7274
L2335	L3265	L5649	L5930	L5995	L6691	L7015	L7364
L2370	L3675	L5651	L5940	L6055	L6692	L7020	L7366
L2375	L3677	L5661	L5950	L6205	L6693	L7025	L7367
L2622	L3807	L5665	L5960	L6623	L6806	L7030	L7368
L2624	L4350	L5700	L5962	L6628	L6807	L7035	L8415
L2627	L4360	L5701	L5964	L6629	L6808	L7040	

Effective with dates of service on and after September 1, 2006, the following procedure code will no longer be covered:

L3902

The following codes remain noncovered:

L3254

L3255

L5999

The following codes are covered only for KAN Be Healthy (KBH) beneficiaries:

L3000	L3010	L3050	L3080
L3001	L3030	L3060	L3090
L3002	L3040	L3070	L3100
L3003			

Information about the Kansas Medical Assistance Program as well as provider manuals and other publications are on the KMAP Web site at <https://www.kmap-state-ks.us>. For the changes resulting from this provider bulletin, please view the *Prosthetic and Orthotic Provider Manual*, pages A12 – A22, A25 – A28, and A30 – A43.

If you have any questions, please contact the KMAP Customer Service Center at 1-800-933-6593 (in-state providers) or (785) 274-5990 between 7:30 a.m. and 5:30 p.m., Monday through Friday.

<u>COV.</u>	<u>PROCEDURE</u> <u>CODE</u>	<u>Updated 8/06</u> <u>NOMENCLATURE</u>
INV	L1910	AFO, posterior, single bar, clasp attachment to shoe counter, prefabricated, includes fitting and adjustment
	L1920	AFO, single upright with static or adjustable stop (Phelps or Perlstein type), custom-fabricated
	L1930	AFO, plastic or other material, prefabricated, includes fitting and adjustment
	L1932	AFO, rigid anterior tibial section, total carbon fiber or equal material, prefabricated, includes fitting and adjustment
	L1940	AFO, plastic or other material, custom-fabricated
	L1945	AFO, plastic, rigid anterior tibial section (floor reaction), custom-fabricated
	L1950	Ankle foot orthosis, spiral, (Institute of Rehabilitative Medicine type), plastic, custom-fabricated
	L1951	AFO, spiral, (Institute of Rehabilitative Medicine type), plastic or other material, prefabricated, includes fitting and adjustment
	L1960	AFO, posterior solid ankle, plastic, custom-fabricated
	L1970	AFO, plastic with ankle joint, custom-fabricated
	L1971	AFO, plastic or other material with ankle joint, prefabricated, includes fitting and adjustment
	L1980	AFO, single upright free plantar dorsiflexion, solid stirrup, calf band/cuff (single bar "BK" orthosis), custom-fabricated
	L1990	AFO, double upright free plantar dorsiflexion, solid stirrup, calf band/cuff (double bar "BK" orthosis), custom-fabricated

**LOWER LIMB - HIP - KNEE - ANKLE - FOOT (OR ANY COMBINATION)**

L2000	Knee-ankle-foot orthoses (KAFO), single upright, free knee, free ankle, solid stirrup, thigh and calf bands/cuffs, (single bar "AK" orthosis), custom-fabricated
L2005	Knee ankle foot orthosis, any material, single or double upright, stance control, automatic lock and swing phase release, mechanical activation, includes ankle joint, any type, custom fabricated
L2010	KAFO, single upright, free ankle, solid stirrup, thigh and calf bands/cuffs (single bar "AK" orthosis), without knee joint , custom-fabricated
L2020	KAFO, double upright, free knee, free ankle, solid stirrup, thigh and calf bands/cuffs, (double bar "AK" orthosis), custom-fabricated
L2030	KAFO, double upright, free ankle, solid stirrup, thigh and calf bands/cuffs, (double bar "AK" orthosis), without knee joint , custom-fabricated
L2034	Knee ankle foot orthosis, full plastic single upright, with or without free motion knee, medial lateral rotation control, with or without free motion ankle, custom fabricated
L2035	Knee ankle foot orthosis, full plastic, static (pediatric size), without free motion ankle, prefabricated, includes fitting and adjustment
L2036	Knee ankle foot orthosis, full plastic, double upright, with or without free motion knee, with or without free motion ankle, custom fabricated
L2037	Knee ankle foot orthosis, full plastic, single upright, with or without free motion knee, with or without free motion ankle, custom fabricated

<u>COV.</u>	<u>PROCEDURE CODE</u>	<u>Updated 8/06 NOMENCLATURE</u>
	L2038	Knee ankle foot orthosis, full plastic, with or without free motion knee, multi-axis ankle, custom fabKnee ankle foot orthosis, full plastic, with or without free motion knee, multi-axis ankle, custom fabricated
		<b><u>Torsion Control</u></b>
	L2040	Hip-knee-ankle-foot orthosis (HKAFO) torsion control, bilateral rotation straps, pelvic band/belt, custom-fabricated
INV	L2050	HKAFO, torsion control, bilateral torsion cables, hip joint, pelvic band/belt, custom-fabricated
	L2060	HKAFO, torsion control, bilateral torsion cables, ball bearing hip joint, pelvic band/belt, custom-fabricated
INV	L2070	HKAFO, torsion control, unilateral rotation straps, pelvic band/belt, custom-fabricated
	L2080	HKAFO, torsion control, unilateral torsion cable, hip joint, pelvic band/belt, custom-fabricated
	L2090	HKAFO, torsion control, unilateral torsion cable, ball bearing hip joint, pelvic band/belt, custom-fabricated
		<b><u>Fracture Orthoses</u></b>
	L2106	AFO, fracture orthosis, tibial fracture cast orthosis, thermoplastic type casting material, custom-fabricated
	L2108	AFO, fracture orthosis, tibial fracture cast orthosis, custom-fabricated
	L2112	AFO, fracture orthosis, tibial fracture orthosis, soft, prefabricated, includes fitting and adjustment
	L2114	AFO, fracture orthosis, tibial fracture orthosis, semi-rigid, prefabricated, includes fitting and adjustment
	L2116	AFO, fracture orthosis, tibial fracture orthosis, rigid, prefabricated, includes fitting and adjustment
	L2126	KAFO, fracture orthosis, femoral fracture cast orthosis, thermoplastic type casting material, custom-fabricated
	L2128	KAFO, fracture orthosis, femoral fracture cast orthosis, custom-fabricated
	L2132	KAFO, fracture orthosis, femoral fracture cast orthosis, soft, prefabricated, includes fitting and adjustment
	L2134	KAFO, fracture orthosis, femoral fracture cast orthosis, semi-rigid, prefabricated, includes fitting and adjustment
	L2136	KAFO, fracture orthosis, femoral fracture cast orthosis, rigid, prefabricated, includes fitting and adjustment

#### **ADDITIONS TO LOWER EXTREMITY ORTHOSES**

##### **Additions - Shoe - Ankle – Shin**

L2180	Addition to lower extremity fracture orthosis, plastic shoe insert with ankle joints
L2182	Addition to lower extremity fracture orthosis, drop lock knee joint

<b>COV.</b>	<b>PROCEDURE CODE</b>	<b>Updated 8/06 NOMENCLATURE</b>
	L2184	Addition to lower extremity fracture orthosis, limited motion knee joint
	L2186	Addition to lower extremity fracture orthosis, adjustable motion knee joint, Lerman type
	L2188	Addition to lower extremity fracture orthosis, quadrilateral brim
	L2190	Addition to lower extremity fracture orthosis, waist belt
	L2192	Addition to lower extremity fracture orthosis, hip joint, pelvic band, thigh flange, and pelvic belt
	L2200	Addition to lower extremity, limited ankle motion, each joint
	L2210	Addition to lower extremity, dorsiflexion assist (plantar flexion resist), each joint
	L2220	Addition to lower extremity, dorsiflexion and plantar flexion assist/resist, each joint
	L2230	Addition to lower extremity, split flat caliper stirrups and plate attachment
	L2232	Addition to lower extremity orthosis, rocker bottom for total contact anklefoot orthosis, for custom fabricated orthosis only
	L2240	Addition to lower extremity, round caliper and plate attachment
	L2250	Addition to lower extremity, foot plate, molded to patient model, stirrup attachment
	L2260	Addition to lower extremity, reinforced solid stirrup (Scott-Craig type)
	L2265	Addition to lower extremity, long tongue stirrup
	L2270	Addition to lower extremity, Varus/Valgus correction ("T") strap, padded/lined or malleolus pad
	L2275	Addition to lower extremity orthosis, high strength, lightweight material, all hybrid lamination/prepreg composite, per segment, for custom fabricated orthosis only
	L2280	Addition to lower extremity, molded inner boot
	L2300	Addition to lower extremity, abduction bar (bilateral hip involvement), jointed, adjustable
	L2310	Addition to lower extremity, abduction bar - straight
	L2320	Addition to lower extremity, non-molded lacer, for custom fabricated orthosis only
	L2330	Addition to lower extremity, lacer molded to patient model, for custom fabricated orthosis only
	L2335	Addition to lower extremity, anterior swing band
	L2340	Addition to lower extremity, pre-tibial shell, molded to patient model
	L2350	Addition to lower extremity, prosthetic type, (BK) socket, molded to patient model, (used for "PTB" "AFO" orthoses)
	L2360	Addition to lower extremity, extended steel shank
	L2370	Addition to lower extremity, Patten Bottom
	L2375	Addition to lower extremity, torsion control, ankle joint and half solid stirrup
	L2380	Addition to lower extremity, torsion control, straight knee joint, each joint
	L2385	Addition to lower extremity, straight knee joint, heavy duty, each joint
	L2387	Addition to lower extremity, polycentric knee joint, for custom fabricated knee ankle foot orthosis, each joint
	L2390	Addition to lower extremity, offset knee joint, each joint
	L2395	Addition to lower extremity, offset knee joint, heavy duty, each joint

KANSAS MEDICAL ASSISTANCE  
PROSTHETIC & ORTHOTIC PROVIDER MANUAL  
APPENDIX

<u>COV.</u>	<u>PROCEDURE CODE</u>	<u>Updated 8/06</u> <u>NOMENCLATURE</u>
	L2397	Addition to lower extremity orthosis, suspension sleeve
		<b><u>Straight Knee Or Offset Knee Joints</u></b>
	L2405	Addition to knee joint, drop lock, each
	L2415	Addition to knee lock with integrated release mechanism (bail, cable, or equal), any material, each joint
	L2425	Addition to knee joint, disc or dial lock for adjustable knee flexion, each joint
	L2430	Addition to knee joint, ratchet lock for active and progressive knee extension, each joint
	L2492	Addition to knee joint, lift loop for drop lock ring
		<b><u>Thigh/Weight Bearing</u></b>
	L2500	Addition to lower extremity, thigh/weight bearing, gluteal/ischial weight bearing, ring
	L2510	Addition to lower extremity, thigh/weight bearing, quadrilateral brim, molded to patient model
	L2520	Addition to lower extremity, thigh/weight bearing, quadrilateral brim, custom fitted
	L2525	Addition to lower extremity, thigh/weight bearing, ischial containment/narrow M-L brim molded to patient model
	L2526	Addition to lower extremity, thigh/weight bearing, ischial containment/narrow M-L brim, custom fitted
	L2530	Addition to lower extremity, thigh/weight bearing, lacer, non-molded
	L2540	Addition to lower extremity, thigh/weight bearing, lacer, molded to patient model
	L2550	Addition to lower extremity, thigh/weight bearing, high roll cuff
		<b><u>Pelvic &amp; Thoracic Control</u></b>
INV	L2570	Addition to lower extremity, pelvic control, hip joint, Clevis type two position joint, each
	L2580	Addition to lower extremity, pelvic control, pelvic sling
	L2600	Addition to lower extremity, pelvic control, hip joint, Clevis type, or thrust bearing, free, each
	L2610	Addition to lower extremity, pelvic control, hip joint, Clevis or thrust bearing, lock, each
	L2620	Addition to lower extremity, pelvic control, hip joint, heavy duty, each
	L2622	Addition to lower extremity, pelvic control, hip joint, adjustable flexion, each
	L2624	Addition to lower extremity, pelvic control, hip joint, adjustable flexion, extension, abduction control, each
	L2627	Addition to lower extremity, pelvic control, plastic, molded to patient model, reciprocating hip joint and cables
	L2628	Addition to lower extremity, pelvic control, metal frame, reciprocating hip joint and cables
	L2630	Addition to lower extremity, pelvic control, band and belt, unilateral
	L2640	Addition to lower extremity, pelvic control, band and belt, bilateral
	L2650	Addition to lower extremity, pelvic and thoracic control, gluteal pad, each

KANSAS MEDICAL ASSISTANCE  
PROSTHETIC & ORTHOTIC PROVIDER MANUAL  
APPENDIX

<u>COV.</u>	<u>PROCEDURE</u>	<u>Updated 8/06</u>
	<u>CODE</u>	<u>NOMENCLATURE</u>
	L2660	Addition to lower extremity, thoracic control, thoracic band
	L2670	Addition to lower extremity, thoracic control, paraspinal uprights
	L2680	Addition to lower extremity, thoracic control, lateral support uprights
	<b><u>Additions - General</u></b>	
	L2750	Addition to lower extremity orthosis, plating chrome or nickel, per bar
	L2755	Addition to lower extremity orthosis, high strength, lightweight material, all hybrid lamination/prepreg composite, per segment, for custom fabricated orthosis only
	L2760	Addition to lower extremity orthosis, extension, per extension, per bar (for lineal adjustment for growth)
	L2768	Orthotic side bar disconnect device, per bar
	L2770	Addition to lower extremity orthosis, any material - per bar or joint
	L2780	Addition to lower extremity orthosis, non-corrosive finish, per bar
	L2785	Addition to lower extremity orthosis, drop lock retainer, each
	L2795	Addition to lower extremity orthosis, knee control, full knee cap
	L2800	Addition to lower extremity orthosis, knee control, knee cap, medial or lateral pull, for use with custom fabricated orthosis only
	L2810	Addition to lower extremity orthosis, knee control, condylar pad
	L2820	Addition to lower extremity orthosis, soft interface for molded plastic, below knee section
	L2830	Addition to lower extremity orthosis, soft interface for molded plastic, above knee section
INV	L2840	Addition to lower extremity orthosis, tibial length sock, fracture or equal, each
INV	L2850	Addition to lower extremity orthosis, femoral length sock, fracture or equal, each
	L2860	Addition to lower extremity joint, knee or ankle, concentric adjustable torsion style mechanism, each

<b>COV.</b>	<b>PROCEDURE</b>	<b>Updated 8/06</b>
	<b>CODE</b>	<b>NOMENCLATURE</b>

### **FOOT, ORTHOPEDIC SHOES, SHOE MODIFICATIONS, TRANSFERS**

#### **FOOT:**

##### **Inserts**

KBH	L3000	Foot insert, removable, molded to patient model
KBH	L3001	Foot insert, removable, molded to patient model, Spenco, each
KBH	L3002	Foot insert, removable, molded to patient model, Plastazote or equal
KBH	L3003	Foot insert, removable, molded to patient model, silicone gel, each
KBH	L3010	Foot insert, removable, molded to patient model, longitudinal arch support, each
KBH	L3020	Foot insert, removable, molded to patient model, longitudinal/metatarsal support, each
KBH	L3030	Foot insert, removable, formed to patient foot, each
KBH	L3031	Foot, insert/plate, removable, addition to lower extremity orthosis, high strength, lightweight material, all hybrid lamination/prepreg composite, each
KBH	L3040	Foot, arch support, removable, premolded, longitudinal, each
KBH	L3050	Foot, arch support, removable, premolded, metatarsal, each
KBH	L3060	Foot, arch support, removable, premolded, longitudinal/metatarsal, each
KBH	L3070	Foot, arch support, nonremovable, attached to shoe, longitudinal, each
KBH	L3080	Foot, arch support, nonremovable, attached to shoe, metatarsal, each
KBH	L3090	Foot, arch support, nonremovable, attached to shoe, longitudinal/metatarsal, each
KBH	L3100	Hallus-valgus night dynamic splint

##### **Abduction And Rotation Bars**

L3140	Foot, rotation positioning device, including shoe(s)
L3150	Foot, rotation positioning device, without shoe(s)
L3160	Foot, adjustable shoe-styled positioning device
L3170	Foot, plastic, silicone or equal, heel stabilizer, each

##### **Orthopedic Footwear**

L3201	Orthopedic shoe, oxford w/supinator or pronator, infant
L3202	Orthopedic shoe, oxford w/supinator or pronator, child
L3203	Orthopedic shoe, oxford w/supinator or pronator, junior
L3204	Orthopedic shoe, hightop w/supinator or pronator, infant
L3206	Orthopedic shoe, hightop w/supinator or pronator, child
L3207	Orthopedic shoe, hightop w/supinator or pronator, junior
L3208	Surgical boot, each, infant
L3209	Surgical boot, each, child
L3211	Surgical boot, each, junior
L3212	Benesch boot, pair, infant
L3213	Benesch boot, pair, child
L3214	Benesch boot, pair, junior
L3215	Orthopedic footwear, ladies shoes, oxford, each
L3216	Orthopedic footwear, ladies shoes, depth inlay, each
L3217	Orthopedic footwear, ladies shoes, hightop, depth inlay, each
L3219	Orthopedic footwear, mens shoes, oxford, each

KANSAS MEDICAL ASSISTANCE  
PROSTHETIC & ORTHOTIC PROVIDER MANUAL  
APPENDIX



<u>COV.</u>	<u>PROCEDURE</u>	<u>Updated 8/06</u>
	<u>CODE</u>	<u>NOMENCLATURE</u>
INV	L3221	Orthopedic footwear, mens shoes, depth inlay, each
	L3222	Orthopedic footwear, mens shoes, hightop, depth inlay, each
	L3224	Orthopedic footwear, woman's shoe, oxford, used as an integral part of a brace (orthosis)
	L3225	Orthopedic footwear, man's shoe, oxford, used as an integral part of a brace (orthosis)
	L3230	Orthopedic footwear, custom shoe, depth inlay, each
	L3250	Orthopedic footwear, custom molded shoe, removable inner mold, prosthetic shoe, each
	L3251	Foot, shoe molded to patient model, silicone shoe, each
	L3252	Foot, shoe molded to patient model, Plastazote (or similar), custom fabricated, each
KBH	L3253	Foot, molded shoe Plastazote (or similar), custom fitted, each
	L3257	Orthopedic footwear, additional charge for split size
	L3260	Surgical boot/shoe, each
	L3265	Plastazote sandal, each

#### **SHOE MODIFICATION:**

##### **Lifts**

L3300	Lift, elevation, heel, tapered to metatarsals, per inch
L3310	Lift, elevation, heel and sole, neoprene, per inch
L3320	Lift, elevation, heel and sole, cork, per inch
L3330	Lift, elevation, metal extension (Skate)
L3332	Lift, elevation, inside shoe, tapered, up to one-half inch
L3334	Lift, elevation, heel, per inch

##### **Wedges**

L3340	Heel wedge, SACH
L3350	Heel wedge
L3360	Sole wedge, outside sole
L3370	Sole wedge, between sole
L3380	Clubfoot wedge
L3390	Outflare wedge
L3400	Metatarsal bar wedge, rocker
L3410	Metatarsal bar wedge, between sole
L3420	Full sole and heel wedge, between sole

##### **Heels**

L3430	Heel, counter, plastic reinforced
L3440	Heel, counter, leather reinforced
L3450	Heel, SACH cushion type
L3455	Heel, new leather, standard
L3460	Heel, new rubber, standard
L3465	Heel, Thomas with wedge
L3470	Heel, Thomas extended to ball
L3480	Heel, pad and depression for spur
L3485	Heel, pad, removable for spur

<u>COV.</u>	<b>PROCEDURE CODE</b>	<b>Updated 8/06 NOMENCLATURE</b>
-------------	---------------------------	--------------------------------------

**Miscellaneous Shoe Additions**

L3500	Miscellaneous shoe addition, insole, leather
L3510	Miscellaneous shoe addition, insole, rubber
L3520	Miscellaneous shoe addition, insole, felt covered with leather
L3530	Miscellaneous shoe addition, sole, half
L3540	Miscellaneous shoe addition, sole, full
L3550	Miscellaneous shoe addition, toe tap, standard
L3560	Miscellaneous shoe addition, toe tap, horseshoe
L3570	Miscellaneous shoe addition, special extension to instep (leather with eyelets)
L3580	Miscellaneous shoe addition, convert instep to velcro closure
L3590	Miscellaneous shoe addition, convert firm shoe counter to soft counter
L3595	Miscellaneous shoe addition, march bar

**Transfers Or Replacement**

L3600	Transfer of an orthosis from one shoe to another, caliper plate, existing
L3610	Transfer of an orthosis from one shoe to another, caliper plate, new
L3620	Transfer of an orthosis from one shoe to another, solid stirrup, existing
L3630	Transfer of an orthosis from one shoe to another, solid stirrup, new
L3640	Transfer of an orthosis from one shoe to another, Dennis Browne splint (Riveton), both shoes

<b><u>COV.</u></b>	<b>PROCEDURE</b>	<b>Updated 8/06</b>
	<b><u>CODE</u></b>	<b><u>NOMENCLATURE</u></b>

### **ORTHOTIC DEVICES - UPPER LIMB**

The procedures in this section are considered "base" or "basic procedures" and may be modified by listing procedures from the "additions" section, and adding them to the base procedure.

#### **SHOULDER**

L3650	Shoulder orthosis, (SO), figure of "8" design abduction restrainer, prefabricated, includes fitting and adjustment
L3651	Shoulder orthosis, single shoulder, elastic, prefabricated, includes fitting and adjustment (E.G. neprene, lycra)
L3652	Shoulder orthosis, double shoulder, elastic, perfabricated, includes fitting and adjustment (E.G. Neoprene, lycra)
L3660	SO, figure of "8" design abduction restrainer, canvas and webbing, prefabricated, includes fitting and adjustment
L3670	SO, acromio/clavicular (canvas and webbing type), prefabricated, includes fitting and adjustment
L3671	SO, shoulder cap design, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
L3672	Shoulder orthosis, abduction positioning (airplane design), thoracic component and support bar, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
L3673	Shoulder orthosis, abduction positioning (airplane design), thoracic component and support bar, includes nontorsion joint/turnbuckle, may include soft interface, straps, custom fabricated, includes fitting and adjustment
L3675	SO, vest type abduction restrainer, canvas webbing type, or equal, prefabricated, includes fitting and adjustment
L3677	SO, hard plastic, shoulder stabilizer, prefabricated, includes fitting and adjustment

<u>COV.</u>	<u>PROCEDURE CODE</u>	<u>Updated 8/06</u> <u>NOMENCLATURE</u>
		<b><u>ELBOW:</u></b>
	L3700	Elbow orthoses (EO), elastic with stays, prefabricated, includes fitting and adjustment
	L3701	Elbow orthosis, elastic, prefabricated, includes fitting and adjustment (E.G. neoprene, lycra)
	L3702	Elbow orthosis, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
	L3710	EO, elastic with metal joints, prefabricated, includes fitting and adjustment
INV	L3720	EO, double upright with forearm/arm cuffs, free motion, custom-fabricated
	L3730	EO, double upright with forearm/arm cuffs, extension/ flexion assist, custom-fabricated
INV	L3740	EO, double upright with forearm/arm cuffs, adjustable position lock with active control, custom-fabricated
	L3760	EO, with adjustable position locking joint(s), prefabricated, includes fitting and adjustments, any type
	L3762	Elbow orthosis, rigid, without joints, includes soft interface material, prefabricated, includes fitting and adjustment
	L3763	Elbow wrist hand orthosis, rigid, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
	L3764	Elbow wrist hand orthosis, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
	L3765	Elbow wrist hand finger orthosis, rigid, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
	L3766	Elbow wrist hand finger orthosis, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
		<b><u>WRIST - HAND - FINGER</u></b>
	L3800	Wrist-hand-finger orthoses (WHFO), short opponens, no attachments, custom-fabricated
	L3805	WHFO, long opponens, no attachment, custom-fabricated
	L3807	WHFO, without joint(s), prefabricated, includes fitting and adjustments, any type

<u>COV.</u>	<u>PROCEDURE</u>	<u>Updated 8/06</u>
	<u>CODE</u>	<u>NOMENCLATURE</u>

#### Additions

L3810	WHFO, addition to short and long opponens, thumb abduction ("C") bar
L3815	WHFO, addition to short and long opponens, second M.P. abduction assist
L3820	WHFO, addition to short and long opponens, I.P. extension assist, with M.O. extension stop
L3825	WHFO, addition to short and long opponens, M.P. extension stop
L3830	WHFO, addition to short and long opponens, M.P. extension assist
L3835	WHFO, addition to short and long opponens, M.P. spring extension assist
L3840	WHFO, addition to short and long opponens, spring swivel thumb
L3845	WHFO, addition to short and long opponens, thumb I.P. extension assist, with M.P. stop
L3850	WHO, addition to short and long opponens, action wrist, with dorsiflexion assist
L3855	WHFO, addition to short and long opponens, adjustable M.P. flexion control
L3860	WHFO, addition to short and long opponens, adjustable M.P. flexion control and I.P.
L3890	Addition to upper extremity joint, wrist or elbow, concentric adjustable torsion style mechanism, each

#### Dynamic Flexor Hinge: Reciprocal Wrist Extension/Flexion,

##### Finger Flexion/Extension

L3900	WHFO, dynamic flexor hinge, reciprocal wrist extension/flexion, finger flexion/extension, wrist or finger driven, custom-fabricated
L3901	WHFO, dynamic flexor hinge; reciprocal wrist extension/flexion, finger flexion/extension, cable driven, custom-fabricated
L3905	Wrist hand orthosis, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
L3913	Hand finger orthosis, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
L3919	Hand orthosis, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
L3921	Hand finger orthosis, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment

##### External Power

<del>INV</del>	<del>L3902</del>	<del>WHFO, external powered, compressed gas, custom fabricated</del>
INV	L3904	WHFO, external powered, electric, custom-fabricated

<u>COV.</u>	<u>PROCEDURE CODE</u>	<u>Updated 8/06 NOMENCLATURE</u>
<b><u>Abduction Positioning - Custom Fitted, (continued)</u></b>		
	L3976	Shoulder elbow wrist hand finger orthosis, abduction positioning (airplane design), thoracic component and support bar, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
	L3977	Shoulder elbow wrist hand finger orthosis, shoulder cap design, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
	L3978	Shoulder elbow wrist hand finger orthosis, abduction positioning (airplane design), thoracic component and support bar, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
<b><u>Mobile Arm Supports - Custom Fitted</u></b>		
INV	L3964	SEO, mobile arm support attached to wheelchair, balanced, adjustable, prefabricated, includes fitting and adjustment
INV	L3965	SEO, mobile arm support attached to wheelchair, balanced, adjustable Rancho type, prefabricated, includes fitting and adjustment
INV	L3966	SEO, mobile arm support attached to wheelchair, balanced, reclining, prefabricated, includes fitting and adjustment
INV	L3968	SEO, mobile arm support attached to wheelchair, balanced, friction arm support (friction dampening to proximal and distal joints), prefabricated, includes fitting and adjustment
INV	L3969	SEO, mobile arm support, monosuspension arm and hand support, overhead elbow forearm hand sling support, yoke type arm suspension support, prefabricated, includes fitting and adjustment
<b><u>Additions To Mobile Arm Supports</u></b>		
INV	L3970	SEO, addition to mobile arm support, elevating proximal arm
INV	L3972	SEO, addition to mobile arm support, offset or lateral rocker arm with elastic balance control
INV	L3974	SEO, addition to mobile arm support, supinator
<b><u>FRACTURE ORTHOSES</u></b>		
INV	L3980	Upper extremity fracture orthosis, humeral, prefabricated, includes fitting and adjustment
INV	L3982	Upper extremity fracture orthosis, radius/ulnar, prefabricated, includes fitting and adjustment
INV	L3984	Upper extremity fracture orthosis, wrist, prefabricated, includes fitting and adjustment
INV	L3985	Upper extremity fracture orthosis, forearm, hand with wrist hinge, custom-fabricated
INV	L3986	Upper extremity fracture orthosis, combination of humeral, radius/ulnar, wrist (example - Colles fracture), custom fabricated
INV	L3995	Addition to upper extremity orthosis, sock, fracture or equal, each

<u>COV.</u>	<u>PROCEDURE</u>	<u>Updated 8/06</u>
	<u>CODE</u>	<u>NOMENCLATURE</u>

#### **SPECIFIC REPAIR**

L4000	Replace girdle for spinal orthosis (CTL SO or SO)
L4002	Replacement strap, any orthosis, includes all components, any length, any type
L4010	Replace trilateral socket brim
L4020	Replace quadrilateral socket brim, molded to patient model
L4030	Replace quadrilateral socket brim, custom fitted
L4040	Replace molded thigh lacer, for custom fabricated orthosis only
L4045	Replace non-molded thigh lacer, for custom fabricated orthosis only
L4050	Replace molded calf lacer, for custom fabricated orthosis only
L4055	Replace non-molded calf lacer, for custom fabricated orthosis only
L4060	Replace high roll cuff
L4070	Replace proximal and distal upright for KAFO
L4080	Replace metal bands KAFO, proximal thigh
L4090	Replace metal bands KAFO-AFO, calf or distal thigh
L4100	Replace leather cuff KAFO, proximal thigh
L4110	Replace leather cuff KAFO-AKO, calf or distal thigh
L4130	Replace pretibial shell

#### **REPAIRS:**

INV	L4205	Repair of orthotic device, labor component, per 15 minutes
	L4210	Repair of orthotic device, repair or replace minor parts
	L4350	Ankle control orthosis, stirrup style, rigid, includes any type interface (for example, pneumatic, gel), prefabricated, includes fitting and adjustment
	L4360	Walking boot, pneumatic, with or without joints, with or without interface material, prefabricated, includes fitting and adjustment
	L4370	Pneumatic full leg splint, prefabricated, includes fitting and adjustment
	L4380	Pneumatic knee splint, prefabricated, includes fitting and adjustment
	L4386	Walking boot, non-pneumatic, with or without joints, with or without interface material, prefabricated, includes fitting and adjustment
	L4392	Replacement soft interface material, static AFO
	L4394	Replace soft interface material, foot drop splint
	L4396	Static ankle foot orthosis, including soft interface material, adjustable for fit, for positioning, pressure reduction, may be used for minimal ambulation, prefabricated, includes fitting and adjustment
	L4398	Foot drop splint, recumbent positioning device, prefabricated, includes fitting and adjustment

#### **PROSTHETIC PROCEDURES - LOWER LIMB**

The procedures in this section are considered "base" or "basic procedures", and may be modified by listing items/procedures from the "additions" section and adding them to the base procedure.

<u>COV.</u>	<u>PROCEDURE CODE</u>	<u>Updated 8/06</u> <u>NOMENCLATURE</u>
		<b><u>PARTIAL FOOT</u></b>
	L5000	Partial foot, shoe insert with longitudinal arch, toe filler
	L5010	Partial foot, molded socket, ankle height, with toe filler
	L5020	Partial foot, molded socket, tibial tubercle height, with toe filler
		<b><u>ANKLE</u></b>
	L5050	Ankle, Symes, molded socket, SACH foot
	L5060	Ankle, Symes, metal frame, molded leather socket, articulated ankle/foot
	L5703	Ankle, Symes, molded to patient model, socket without solid ankle cushion heel (SACH) foot, replacement only
		<b><u>BELOW KNEE</u></b>
	L5100	Below knee, molded socket, shin, SACH foot
	L5105	Below knee, plastic socket, joints and thigh lacer, SACH foot
		<b><u>KNEE DISARTICULATION</u></b>
	L5150	Knee disarticulation or through knee, molded socket, external knee joints, shin, SACH foot
	L5160	Knee disarticulation or through knee, molded socket, bent knee configuration, external knee joints, shin, SACH foot
		<b><u>ABOVE KNEE</u></b>
	L5200	Above knee, molded socket, single axis constant friction knee, shin, SACH foot
	L5210	Above knee, short prosthesis, no knee joint ("stubbies"), with foot blocks, no ankle joints, each
	L5220	Above knee, short prosthesis, no knee joint ("stubbies"), with articulated ankle/foot, dynamically aligned, each
INV	L5230	Above knee, for proximal femoral focal deficiency, constant friction knee, shin, SACH foot
		<b><u>HIP DISARTICULATION</u></b>
	L5250	Hip disarticulation, Canadian type; molded socket, hip joint, single axis constant friction knee, shin, SACH foot
	L5270	Hip disarticulation, tilt table type; molded socket, locking hip joint, single axis constant friction knee, shin, SACH foot
		<b><u>HEMIPELVECTOMY</u></b>
INV	L5280	Hemipelvectomy, Canadian type; molded socket, hip joint, single axis constant friction knee, shin, SACH foot
		<b><u>ENDOSKELETAL - BELOW KNEE</u></b>
	L5301	Below knee, molded socket, shin, SACH foot, endoskeletal system



<b><u>COV.</u></b>	<b><u>PROCEDURE CODE</u></b>	<b><u>Updated 8/06 NOMENCLATURE</u></b>
		<b><u>ENDOSKELETAL - KNEE DISARTICULATION</u></b>
INV	L5311	Knee disarticulation (or through knee), molded socket, external knee joints, shin, SACH foot, endoskeletal system
		<b><u>ENDOSKELETAL - ABOVE KNEE</u></b>
INV	L5321	Above knee, molded socket, open end, SACH foot, endoskeletal system, single axis knee
		<b><u>ENDOSKELETAL - HIP DISARTICULATION</u></b>
INV	L5331	Hip disarticulation, Canadian type; molded socket, endoskeletal system, hip joint, single axis knee, SACH foot
		<b><u>ENDOSKELETAL - HEMIPELVECTOMY</u></b>
INV	L5341	Hemipelvectomy, Canadian type; molded socket, endoskeletal system, hip joint, single axis knee, SACH foot

**IMMEDIATE - EARLY - INITIAL - PREPARATORY PROCEDURES**  
**IMMEDIATE POST-SURGICAL OR EARLY FITTING PROCEDURES:**

L5400	Immediate post surgical or early fitting, application of initial rigid dressing, including fitting, alignment, suspension, and one cast change, below knee
L5410	Immediate post surgical or early fitting, application of initial rigid dressing, including fitting, alignment and suspension, below knee, each additional cast change and realignment
L5420	Immediate post surgical or early fitting, application of initial rigid dressing, including fitting, alignment and suspension and one cast change, "AK" or knee disarticulation
L5430	Immediate post surgical or early fitting, application initial rigid dressing, including fitting, alignment and suspension, "AK" or knee disarticulation, each additional cast change and realignment
L5450	Immediate post surgical or early fitting, application of non-weight bearing rigid dressing, below knee
L5460	Immediate post surgical or early fitting, application of non-weight bearing rigid dressing, above knee

**INITIAL PROSTHESIS**

L5500	Initial, below knee "PTB" type socket, "USMC" or equal pylon, no cover, SACH foot, plaster socket, direct formed
L5505	Initial, above knee - knee disarticulation, ischial level socket, non-alignable system, pylon, no cover, SACH foot plaster socket, direct formed

<u>COV.</u>	<u>PROCEDURE</u>	<u>Updated 08/06</u>
	<u>CODE</u>	<u>NOMENCLATURE</u>

#### Test Sockets

L5618	Addition to lower extremity, test socket, Symes
L5620	Addition to lower extremity, test socket, below knee
L5622	Addition to lower extremity, test socket, knee disarticulation
L5624	Addition to lower extremity, test socket, above knee
L5626	Addition to lower extremity, test socket, hip disarticulation
L5628	Addition to lower extremity, test socket, hemipelvectomy
L5629	Addition to lower extremity, below knee, acrylic socket

#### Socket Variations

	L5630	Addition to lower extremity, Symes type, expandable wall socket
	L5631	Addition to lower extremity, above knee or knee disarticulation, acrylic socket
	L5632	Addition to lower extremity, Symes type, "PTB" brim design socket
	L5634	Addition to lower extremity, Symes type, posterior opening (Canadian) socket
	L5636	Addition to lower extremity, Symes type, medial opening socket
	L5637	Addition to lower extremity, below knee, total contact
	L5638	Addition to lower extremity, below knee, leather socket
	L5639	Addition to lower extremity, below knee, wood socket
INV	L5640	Addition to lower extremity, knee disarticulation, leather socket
INV	L5642	Addition to lower extremity, above knee, leather socket
	L5643	Addition to lower extremity, hip disarticulation, flexible inner socket, external frame
	L5644	Addition to lower extremity, above knee, wood socket
	L5645	Addition to lower extremity, below knee, flexible inner socket, external frame
	L5646	Addition to lower extremity, below knee, air, fluid, gel or equal, cushion socket
	L5647	Addition to lower extremity, below knee, suction socket
	L5648	Addition to lower extremity, above knee, air, fluid, gel or equal, cushion socket
	L5649	Addition to lower extremity, ischial containment/narrow M-L socket
	L5650	Addition to lower extremity, total contact, above knee or knee disarticulation socket
	L5651	Addition to lower extremity, above knee, flexible inner socket, external frame
	L5652	Addition to lower extremity, suction suspension, above knee or knee disarticulation socket
INV	L5653	Addition to lower extremity, knee disarticulation, expandable wall socket

#### Socket Insert And Suspension

INV	L5654	Addition to lower extremity, socket insert, Symes (kemblo, pelite, aliplast, plastazote or equal)
	L5655	Addition to lower extremity, socket insert, below knee (kemblo, pelite, aliplast, plastazote or equal)
	L5656	Addition to lower extremity, socket insert, knee disarticulation (Kemblo, pelite, aliplast, plastazote or equal)
	L5658	Addition to lower extremity, socket insert, above knee (kemblo, pelite, aliplast, plastazote, or equal)

<u>COV.</u>	<u>PROCEDURE</u>	<u>Updated 8/06</u>
	<u>CODE</u>	<u>NOMENCLATURE</u>
	L5661	Addition to lower extremity, socket insert, multidurometer, Symes
	L5665	Addition to lower extremity, socket insert, multidurometer, below knee
	L5666	Addition to lower extremity, below knee, cuff suspension
	L5668	Addition to lower extremity, below knee, molded distal cushion
	L5670	Addition to lower extremity, below knee, molded supracondylar suspension ("PTS" or similar)
	L5671	Addition to lower extremity, below knee/above knee suspension locking mechanism (shuttle, lanyard or equal), excludes socket insert
	L5672	Addition to lower extremity, below knee, removable medial brim suspension
	L5673	Addition to lower extremity, below knee/above knee, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, for use with locking mechanism
	L5676	Addition to lower extremity, below knee, knee joints, single axis, pair
	L5677	Addition to lower extremity, below knee, knee joints, polycentric, pair
	L5678	Addition to lower extremity, below knee, joint covers, pair
	L5679	Addition to lower extremity, below knee/above knee, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, not for use with locking mechanism
	L5680	Addition to lower extremity, below knee, thigh lacer, non-molded
	L5681	Addition to lower extremity, below knee/above knee, custom fabricated socket insert, for congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial use, use code L5673 or L5679)
	L5682	Addition to lower extremity, below knee, thigh lacer, gluteal/ischial, molded
	L5683	Addition to lower extremity, below knee/above knee, custom fabricated socket insert, for other than congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L5673 or L5679)
	L5684	Addition to lower extremity, below knee, fork strap
	L5685	Addition to lower extremity prosthesis, below knee, suspension/sealing sleeve, with or without valve, any material, each
	L5686	Addition to lower extremity, below knee, back check (extension control)
	L5688	Addition to lower extremity, below knee, waist belt, webbing
	L5690	Addition to lower extremity, below knee, waist belt, padded and lined
INV	L5692	Addition to lower extremity, above knee, pelvic control belt, light
	L5694	Addition to lower extremity, above knee, pelvic control belt, padded and lined
	L5695	Addition to lower extremity, above knee, pelvic control, sleeve suspension, neoprene or equal, each
	L5696	Addition to lower extremity, above knee or knee disarticulation, pelvic joint
	L5697	Addition to lower extremity, above knee or knee disarticulation, pelvic band
	L5698	Addition to lower extremity, above knee or knee disarticulation, silesian bandage
INV	L5699	All lower extremity prostheses, shoulder harness

KANSAS MEDICAL ASSISTANCE  
PROSTHETIC & ORTHOTIC PROVIDER MANUAL  
APPENDIX

<u>COV.</u>	<u>PROCEDURE CODE</u>	<u>Updated 8/06</u> <u>NOMENCLATURE</u>
		<b><u>Knee-Shin System (Exoskeletal)</u></b>
	L5700	Replacement, socket, below knee, molded to patient model
	L5701	Replacement, socket, above knee/knee disarticulation, including attachment plate, molded to patient model
	L5702	Replacement, socket, hip disarticulation, including hip joint, molded to patient model
	L5704	Custom shaped protective cover, below knee
	L5705	Custom shaped protective cover, above knee
	L5706	Custom shaped protective cover, knee disarticulation
	L5707	Custom shaped protective cover, hip disarticulation
	L5710	Addition, exoskeletal knee-shin system, single axis, manual lock
	L5711	Addition, exoskeletal knee-shin system single axis, manual lock, ultra-light material
	L5712	Addition, exoskeletal knee-shin system, single axis, friction swing and stance phase control (safety knee)
	L5714	Addition, exoskeletal knee-shin system, single axis, variable friction swing phase control
	L5716	Addition, exoskeletal knee-shin system, polycentric, mechanical stance phase lock
	L5718	Addition, exoskeletal knee-shin system, polycentric, friction swing and stance phase control
	L5722	Addition, exoskeletal knee-shin system, single axis, pneumatic swing, friction stance phase control
	L5724	Addition, exoskeletal knee-shin system, single axis, fluid swing phase control
	L5726	Addition, exoskeletal knee-shin system, single axis, external joints, fluid swing phase control
INV	L5728	Addition, exoskeletal knee-shin system single axis, fluid swing and stance phase control
	L5780	Addition, exoskeletal knee-shin system, single axis, pneumatic/hydrapneumatic swing phase control
	L5781	Addition to lower limb prosthesis, vacuum pump, residual limb volume management and moisture evacuation system
	L5782	Addition to lower limb prosthesis, vacuum pump, residual limb volume management and moisture evacuation system, heavy duty
		<b><u>Component Modification</u></b>
INV	L5785	Addition, exoskeletal system, below knee, ultra-light material (Titanium, carbon fiber or equal)
	L5790	Addition, exoskeletal system, above knee, ultra-light material (titanium, carbon fiber or equal)
	L5795	Addition, exoskeletal system, hip disarticulation, ultra-light material (titanium, carbon fiber or equal)
		<b><u>Knee-Shin System (Endoskeletal)</u></b>
	L5810	Addition, endoskeletal knee-shin system, single axis, manual lock

<u>COV.</u>	<u>PROCEDURE CODE</u>	<u>Updated 8/06 NOMENCLATURE</u>
	L5811	Addition, endoskeletal knee-shin system, single axis, manual lock, ultra-light material
	L5812	Addition, endoskeletal knee-shin system, single axis, friction swing and stance phase control (safety knee)
	L5814	Addition, endoskeletal knee-shin system, polycentric, hydraulic swing phase control, mechanical stance phase lock
	L5816	Addition, endoskeletal knee-shin system, polycentric, mechanical stance phase lock
	L5818	Addition, endoskeletal knee-shin system, polycentric, friction swing, and stance phase control
	L5822	Addition, endoskeletal knee-shin system, single axis, pneumatic swing, friction stance phase control
	L5824	Addition, endoskeletal knee-shin system, single axis, fluid swing phase control
INV	L5826	Addition, endoskeletal, knee-shin system, single axis, hydraulic swing phase control, with miniature high activity frame
INV	L5828	Addition, endoskeletal knee-shin system, single axis, fluid swing and stance phase control
	L5830	Addition, endoskeletal knee-shin system, single axis, pneumatic/swing phase control
	L5840	Addition, endoskeletal knee/shin system, multiaxial, pneumatic swing phase control
	L5845	Addition, endoskeletal, knee-skin system, stance flexion feature, adjustable
	L5848	Addition to endoskeletal, knee-shin system, hydraulic stance extension, dampening feature, with or without adjustability
INV	L5850	Addition, endoskeletal system, above knee or hip disarticulation, knee extension assist
	L5855	Addition, endoskeletal system, hip disarticulation, mechanical hip extension assist
INV	L5856	Addition to lower extremity prosthesis, endoskeletal knee-shin system, microprocessor control feature, swing and stance phase, includes electronic sensor(s), any type
INV	L5857	Addition to lower extremity prosthesis, endoskeletal knee-shin system, microprocessor control feature, swing phase only, includes electronic sensor(s), any type
INV	L5858	Addition to lower extremity prosthesis, endoskeletal knee shin system, microprocessor control feature, stance phase only, includes electronic sensor(s), any type
INV	L5910	Addition, endoskeletal system, below knee, alignable system
INV	L5920	Addition, endoskeletal system, above knee or hip disarticulation, alignable system
	L5925	Addition, endoskeletal system, above knee, knee disarticulation or hip disarticulation, manual lock
	L5930	Addition, endoskeletal system, high activity knee control frame
	L5940	Addition, endoskeletal system, below knee, ultra-light material (titanium, carbon fiber or equal)

KANSAS MEDICAL ASSISTANCE  
PROSTHETIC & ORTHOTIC PROVIDER MANUAL  
APPENDIX

<u>COV.</u>	<u>PROCEDURE CODE</u>	<u>Updated 8/06 NOMENCLATURE</u>
	L5950	Addition, endoskeletal system, above knee, ultra-light material (titanium, carbon fiber or equal)
	L5960	Addition, endoskeletal system, hip disarticulation, ultra-light material (titanium, carbon fiber or equal)
	L5962	Addition, endoskeletal system, below knee, flexible protective outer surface covering system
	L5964	Addition, endoskeletal system, above knee, flexible protective outer surface covering system
	L5966	Addition, endoskeletal system, hip disarticulation, flexible protective outer surface covering system
	L5968	Addition to lower limb prosthesis, multiaxial ankle with swing phase dorsiflexion feature
	L5970	All lower extremity prostheses, foot, external keel, SACH foot
	L5971	All lower extremity prosthesis, solid ankle cushion heel (SACH) foot, replacement only
	L5972	All lower extremity prostheses, flexible keel foot (safe, sten, bock dynamic or equal)
	L5974	All lower extremity prostheses, foot, single axis ankle/foot
	L5975	All lower extremity prosthesis, combination single axis ankle and flexible keel foot
	L5976	All lower extremity prostheses, energy storing foot (Seattle carbon copy II or equal)
	L5978	All lower extremity prostheses, foot, multiaxial ankle/foot
	L5979	All lower extremity prostheses, multiaxial ankle, dynamic response foot, one piece system
	L5980	All lower extremity prostheses, flex-foot system
	L5981	All lower extremity prostheses, flex-walk system or equal
	L5982	All exoskeletal lower extremity prostheses, axial rotation unit
	L5984	All endoskeletal lower extremity prostheses, axial rotation unit, with or without adjustability
	L5985	All endoskeletal lower extremity prostheses, dynamic prosthetic pylon
	L5986	All lower extremity prostheses, multi-axial rotation unit ("MCP" or equal)
	L5987	All lower extremity prostheses, shank foot system with vertical loading pylon
	L5988	Addition to lower limb prosthesis, vertical shock reducing pylon feature
	L5990	Addition to lower extremity prosthesis, user adjustable heel height
	L5995	Addition to lower extremity prosthesis, heavy duty feature (for patient weight greater than 300 lbs)

<u>COV.</u>	<u>PROCEDURE</u>	<u>Updated 8/06</u>
	<u>CODE</u>	<u>NOMENCLATURE</u>

### UPPER LIMB

The procedures in this section include standard friction wrist, control cable systems, and "figure of eight" harness unless otherwise specified.

#### PARTIAL HAND

INV	L6000	Partial hand, robin-aids, thumb remaining (or equal)
INV	L6010	Partial hand, robin-aids, little and/or ring finger remaining (or equal)
INV	L6020	Partial hand, robin-aids, no finger remaining (or equal)
	L6025	Transcarpal/metacarpal or partial hand disarticulation prosthesis, external power, self-suspended, inner socket with removable forearm section, electrodes and cables, two batteries, charger, myoelectric control of terminal device

#### WRIST DISARTICULATION

	L6050	Wrist disarticulation, molded socket, flexible elbow hinges, triceps pad
	L6055	Wrist disarticulation, molded socket with expandable interface, flexible elbow hinges, triceps pad

#### BELOW ELBOW

	L6100	Below elbow, molded socket, flexible elbow hinge, triceps pad
	L6110	Below elbow, molded socket (Muenster or Northwestern suspension types)
	L6120	Below elbow, molded double wall split socket, step-up hinges, half cuff
	L6130	Below elbow, molded double wall split socket, stump activated locking hinge, half cuff

#### ELBOW DISARTICULATION

	L6200	Elbow disarticulation, molded socket, outside locking hinge, forearm
	L6205	Elbow disarticulation, molded socket with expandable interface, outside locking hinges, forearm

#### ABOVE ELBOW

	L6250	Above elbow, molded double wall socket, internal locking elbow, forearm
--	-------	---

#### SHOULDER DISARTICULATION

	L6300	Shoulder disarticulation, molded socket, shoulder bulkhead, humeral section, internal locking elbow, forearm
	L6310	Shoulder disarticulation, passive restoration (complete prosthesis)
INV	L6320	Shoulder disarticulation, passive restoration (shoulder cap only)

#### INTERSCAPULAR THORACIC

	L6350	Interscapular thoracic, molded socket, shoulder bulkhead, humeral section, internal locking elbow, forearm
INV	L6360	Interscapular thoracic, passive restoration (complete prosthesis)
INV	L6370	Interscapular thoracic, passive restoration (shoulder cap only)

<b><u>COV.</u></b>	<b><u>PROCEDURE CODE</u></b>	<b><u>Updated 8/06 NOMENCLATURE</u></b>
<b><u>IMMEDIATE AND EARLY POST SURGICAL PROCEDURES</u></b>		
INV	L6380	Immediate post surgical or early fitting, application of initial rigid dressing, including fitting alignment and suspension of components, and one cast change, wrist disarticulation or below elbow
INV	L6382	Immediate post surgical or early fitting, application of initial rigid dressing including fitting alignment and suspension of components, and one cast change, elbow disarticulation or above elbow
INV	L6384	Immediate post surgical or early fitting, application of initial rigid dressing, including fitting alignment and suspension of components, and one cast change, shoulder disarticulation or interscapular thoracic
INV	L6386	Immediate post surgical or early fitting, each additional cast change and realignment
INV	L6388	Immediate post surgical or early fitting, application of rigid dressing only
<b><u>ENDOSKELETAL - BELOW ELBOW</u></b>		
	L6400	Below elbow, molded socket, endoskeletal system, including soft prosthetic tissue shaping
<b><u>ENDOSKELETAL - ELBOW DISARTICULATION</u></b>		
	L6450	Elbow disarticulation, molded socket, endoskeletal system, including soft prosthetic tissue shaping
<b><u>ENDOSKELETAL - ABOVE ELBOW</u></b>		
INV	L6500	Above elbow, molded socket, endoskeletal system, including soft prosthetic tissue shaping
<b><u>ENDOSKELETAL - SHOULDER DISARTICULATION</u></b>		
	L6550	Shoulder disarticulation, molded socket, endoskeletal system, including soft prosthetic tissue shaping
<b><u>ENDOSKELETAL - INTERSCAPULAR THORACIC</u></b>		
	L6570	Interscapular thoracic, molded socket, endoskeletal system, including soft prosthetic tissue shaping
<b><u>PREPARATORY PROSTHESIS PROCEDURES</u></b>		
INV	L6580	Preparatory, wrist disarticulation or below elbow, single wall plastic socket, friction wrist, flexible elbow hinges, figure of eight harness, humeral cuff, Bowden cable control, USMC or equal pylon, no cover, molded to patient model
INV	L6582	Preparatory, wrist disarticulation or below elbow, single wall socket, friction wrist, flexible elbow hinges, figure of eight harness, humeral cuff, Bowden cable control, USMC or equal pylon, no cover, direct formed.



<u>COV.</u>	<u>PROCEDURE CODE</u>	<u>Updated 8/06 NOMENCLATURE</u>
INV	L6584	Preparatory, elbow disarticulation or above elbow, single wall plastic socket, friction wrist, locking elbow, figure of eight harness, fair lead cable control, USMC or equal pylon, no cover, molded to patient model
INV	L6586	Preparatory, elbow disarticulation or above elbow, single wall socket, friction wrist, locking elbow, figure of eight harness, fair lead cable control, USMC or equal pylon, no cover, direct formed
INV	L6588	Preparatory, shoulder disarticulation or interscapular thoracic, single wall plastic socket, shoulder joint, locking elbow, friction wrist, chest strap, fair lead cable control, USMC or equal pylon, no cover, molded to patient model
INV	L6590	Preparatory, shoulder disarticulation or interscapular thoracic, single wall socket, shoulder joint, locking elbow, friction wrist, chest strap, fair lead cable control, USMC or equal pylon, no cover, direct formed

#### **ADDITIONS - UPPER LIMB**

The following procedures/modifications/components may be added to other base procedures. The items in this section should reflect the additional complexity of each modification procedure in addition to base procedure, at the time of the original order.

	L6600	Upper extremity additions, polycentric hinge, pair
	L6605	Upper extremity additions, single pivot hinge, pair
	L6610	Upper extremity additions, flexible metal hinge, pair
	L6615	Upper extremity addition, disconnect locking wrist unit
	L6616	Upper extremity addition, additional disconnect insert for locking wrist unit, each
	L6620	Upper extremity addition flexion/extension wrist unit, with or without friction
	L6621	Upper extremity prosthesis addition, flexion/extension wrist with or without friction, for use with external powered terminal device
	L6623	Upper extremity addition, spring assisted rotational wrist unit with latch release
	L6625	Upper extremity addition, rotation wrist unit with cable lock
	L6628	Upper extremity addition, quick disconnect hook adapter, Otto Bock or equal
	L6629	Upper extremity addition, quick disconnect lamination collar with coupling piece, Otto Bock or equal
INV	L6630	Upper extremity addition, stainless steel, any wrist
	L6632	Upper extremity addition, latex suspension sleeve, each
	L6635	Upper extremity addition, lift assist for elbow
	L6637	Upper extremity addition, nudge control elbow lock
	L6638	Upper extremity addition to prosthesis, electric locking feature, only for use with manually powered elbow
	L6640	Upper extremity addition, shoulder abduction joint, pair
	L6641	Upper extremity addition, excursion amplifier, pulley type
	L6642	Upper extremity addition, excursion amplifier, lever type
	L6645	Upper extremity addition, shoulder flexion-abduction joint, each
	L6646	Upper extremity addition, shoulder joint multipositional locking flexion, adjustable abduction friction control, for use with body powered or external powered system
	L6647	Upper extremity addition, shoulder lock mechanism, body powered actuator

<b><u>COV.</u></b>	<b><u>PROCEDURE CODE</u></b>	<b><u>Updated 8/06 NOMENCLATURE</u></b>
INV	L6648	Upper extremity addition, shoulder lock mechanism, external powered actuator
	L6650	Upper extremity addition, shoulder universal joint, each
	L6655	Upper extremity addition, standard control cable, extra
	L6660	Upper extremity addition, heavy duty control cable
	L6665	Upper extremity addition, teflon, or equal, cable lining
	L6670	Upper extremity addition, hook to hand, cable adapter
	L6672	Upper extremity addition, harness, chest or shoulder, saddle type
	L6675	Upper extremity addition, harness, (e.g. figure of eight type) single cable design
	L6676	Upper extremity addition, harness, (e.g. figure of eight type) dual cable design
INV	L6677	Upper extremity addition, harness, triple control, simultaneous operation of terminal device and elbow
	L6680	Upper extremity addition, test socket, wrist disarticulation or below elbow
	L6682	Upper extremity addition, test socket, elbow disarticulation or above elbow
	L6684	Upper extremity addition, test socket, shoulder disarticulation or interscapular thoracic
	L6686	Upper extremity addition, suction socket
	L6687	Upper extremity addition, frame type socket, below elbow or elbow disarticulation
	L6688	Upper extremity addition, frame type socket, above elbow or elbow disarticulation
	L6689	Upper extremity addition, frame type socket, shoulder disarticulation
	L6690	Upper extremity addition, frame type socket, interscapular-thoracic
	L6691	Upper extremity addition, removable insert, each
	L6692	Upper extremity addition, silicone gel insert or equal, each
	L6693	Upper extremity addition, locking elbow, forearm counterbalance
	L6694	Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, for use with locking mechanism
	L6695	Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, for use with locking mechanism
	L6696	Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated socket insert for congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code (L6694 or L6695)
	L6697	Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated socket insert for other than congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code (L6694 or L6695)
	L6698	Addition to upper extremity prosthesis, below elbow/above elbow, lock mechanism, excludes socket insert

KANSAS MEDICAL ASSISTANCE  
PROSTHETIC & ORTHOTIC PROVIDER MANUAL  
APPENDIX

<u>COV.</u>	<b>PROCEDURE</b>	<b>Updated 8/06</b>
	<b><u>CODE</u></b>	<b><u>NOMENCLATURE</u></b>

### **TERMINAL DEVICES**

#### **Hooks**

INV	L6700	Terminal device, hook, Dorrance, or equal, model #3
	L6705	Terminal device, hook, Dorrance, or equal, model #5
	L6710	Terminal device, hook, Dorrance, or equal, model #5X
	L6715	Terminal device, hook, Dorrance, or equal, model #5XA
	L6720	Terminal device, hook, Dorrance, or equal, model #6
	L6725	Terminal device, hook, Dorrance, or equal, model #7
	L6730	Terminal device, hook, Dorrance, or equal, model #7LO
	L6735	Terminal device, hook, Dorrance, or equal, model #8
	L6740	Terminal device, hook, Dorrance, or equal, model #8X
	L6745	Terminal device, hook, Dorrance, or equal, model #88X
	L6750	Terminal device, hook, Dorrance, or equal, model #10P
	L6755	Terminal device, hook, Dorrance, or equal, model #10X
	L6765	Terminal device, hook, Dorrance, or equal, model #12P
	L6770	Terminal device, hook, Dorrance, or equal, model #99X
	L6775	Terminal device, hook, Dorrance, or equal, model #555
	L6780	Terminal device, hook, Dorrance, or equal, model #SS555
	L6790	Terminal device, hook-ACCU hook, or equal
	L6795	Terminal device, hook-2 load, or equal
	L6800	Terminal device, hook-APRL VC, or equal
	L6805	Terminal device, modifier wrist flexion unit
	L6806	Terminal device, hook, TRS grip, Grip III, VC, or equal
	L6807	Terminal device, hook, Grip I, Grip II, VC, or equal
	L6808	Terminal device, hook, TRS Adept, infant or child, VC, or equal
	L6809	Terminal device, hook, TRS Super Sport, passive
	L6810	Terminal device, Pincher tool, Otto Bock or equal

#### **Hands**

INV	L6825	Terminal device, hands, Dorrance, VO
	L6830	Terminal device, hand, APRL, VC
	L6835	Terminal device, hand, Sierra, VO
	L6840	Terminal device, hand, Becker Imperial
	L6845	Terminal device, hand, Becker lock grip
	L6850	Terminal device, hand, Becker Plylite
	L6855	Terminal device, hand, Robin-aids, VO
	L6860	Terminal device, hand, Robin-aids, VO soft
	L6865	Terminal device, hand, passive hand
	L6867	Terminal device, hand, Detroit infant hand (mechanical)
	L6868	Terminal device, hand, passive infant hand, (Steeper, Hosmer or equal)
	L6870	Terminal device, hand, child mitt
	L6872	Terminal device, hand, NYU child hand
	L6873	Terminal device, hand, mechanical infant hand, steeper or equal
	L6875	Terminal device, hand, Bock VC
	L6880	Terminal device, hand, Bock VO

<b><u>COV.</u></b>	<b><u>PROCEDURE CODE</u></b>	<b><u>Updated 8/06 NOMENCLATURE</u></b>
	L6881	Automatic grasp feature, addition to upper limb prosthetic terminal device
	L6882	Microprocessor control feature, addition to upper limb prosthetic terminal device
	L6883	Replacement socket, below elbow/wrist disarticulation, molded to patient model, for use with or without external power
	L6884	Replacement socket, above elbow disarticulation, molded to patient model, for use with or without external power
INV	L6885	Replacement socket, shoulder disarticulation/interscapular thoracic, molded to patient model, for use with or without external power

#### **Gloves For Above Hand**

- L6890 Addition to upper extremity prosthesis, glove for terminal device, any material, prefabricated, includes fitting and adjustment
- L6895 Addition to upper extremity prosthesis, glove for terminal device, any material, custom fabricated

#### **HAND RESTORATION**

- INV L6900 Hand restoration (casts, shading and measurements included), partial hand, with glove, thumb or one finger remaining
- L6905 Hand restoration (casts, shading and measurements included), partial hand, with glove, multiple fingers remaining
- L6910 Hand restoration (casts, shading and measurements included), partial hand, with glove, no fingers remaining
- INV L6915 Hand restoration (shading and measurements included), replacement glove for above

#### **EXTERNAL POWER**

##### **Base Devices**

- INV L6920 Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal, switch, cables, two batteries and one charger, switch control of terminal device
- INV L6925 Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device
- INV L6930 Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal switch, cables, two batteries and one charger, switch control of terminal device
- INV L6935 Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device
- INV L6940 Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or equal switch, cables, two batteries and one charger, switch control of terminal device

<u>COV.</u>	<u>PROCEDURE CODE</u>	<u>Updated 8/06 NOMENCLATURE</u>
	L6945	Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device
INV	L6950	Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal switch, cables, two batteries and one charger, switch control of terminal device
INV	L6955	Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device
INV	L6960	Shoulder disarticulation, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, Otto Bock or equal switch, cables, two batteries and one charger, switch control of terminal device
INV	L6965	Shoulder disarticulation, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, Otto Bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device
INV	L6970	Interscapular-thoracic, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, Otto Bock or equal switch, cables, two batteries and one charger, switch control of terminal device
INV	L6975	Interscapular-thoracic, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, Otto Bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device

#### Control Modules

L7010	Electronic hand, Otto Bock, Steeper or equal, switch controlled
L7015	Electronic hand, System Teknik, Variety Village or equal, switch controlled
L7020	Electronic Greifer, Otto Bock or equal, switch controlled
L7025	Electronic hand, Otto Bock or equal, myoelectronically controlled
L7030	Electronic hand, System Teknik, Variety Village or equal, myoelectronically controlled
L7035	Electronic Greifer, Otto Bock or equal, myoelectronically controlled
L7040	Prehensile actuator, Hosmer or equal, switch controlled
L7045	Electronic hook, child, Michigan or equal, switch controlled
L7170	Electronic elbow, Hosmer or equal, switch controlled
L7180	Electronic elbow, microprocessor sequential control of elbow and terminal device
L7181	Electronic elbow, microprocessor simultaneous control of elbow and terminal device
L7185	Electronic elbow, adolescent, Variety Village or equal, switch controlled
L7186	Electronic elbow, child, Variety Village or equal, switch controlled

<u>COV.</u>	<b>PROCEDURE</b> <b>Updated 8/06</b>	
	<u>CODE</u>	<u>NOMENCLATURE</u>
	L7190	Electronic elbow, adolescent, Variety Village or equal, myoelectronically controlled
	L7191	Electronic elbow, child, Variety Village or equal, myoelectronically controlled
INV	L7260	Electronic wrist rotator, Otto Bock or equal
INV	L7261	Electronic wrist rotator, for Utah arm
INV	L7266	Servo control, Steeper or equal
INV	L7272	Analogue control, UNB or equal
	L7274	Proportional control, 6-12 volt, Liberty, Utah or equal
<b><u>Battery Components</u></b>		
INV	L7360	Six volt battery, Otto Bock or equal, each
INV	L7362	Battery charger, six volt, Otto Bock or equal
	L7364	12 volt battery, Utah or equal, each
	L7366	Battery charger, 12 volt, Utah or equal
	L7367	Lithium ion battery, replacement
	L7368	Lithium ion battery charger
	L7400	Addition to upper extremity prosthesis, below elbow/wrist disarticulation, ultralight material (titanium, carbon fiber or equal)
	L7401	Addition to upper extremity prosthesis, above elbow disarticulation, ultralight material (titanium, carbon fiber or equal)
INV	L7402	Addition to upper extremity prosthesis, shoulder disarticulation/interscapular thoracic, ultralight material (titanium, carbon fiber or equal)
	L7403	Addition to upper extremity prosthesis, below elbow, wrist disarticulation, acrylic material
	L7404	Addition to upper extremity prosthesis, above elbow disarticulation, acrylic material
INV	L7405	Addition to upper extremity prosthesis, shoulder disarticulation/interscapular thoracic, acrylic material
<b><u>REPAIRS</u></b>		
	L7500	Repair of prosthetic device, hourly rate
INV	L7510	Repair of prosthetic device, repair or replace minor parts
	L7520	Repair of prosthetic device, labor component, per 15 minutes
<b><u>GENERAL</u></b>		
<b><u>ELASTIC SUPPORTS</u></b>		
INV	A6530*	Gradient compression stocking, below knee, 18-30 MMHG, each
INV	A6531*	Gradient compression stocking, below knee, 30-40 MMHG, each
INV	A6532*	Gradient compression stocking, below knee, 40-50 MMHG, each
INV	A6533*	Gradient compression stocking, thigh length, 18-30 MMHG, each
INV	A6534*	Gradient compression stocking, thigh length, 30-40 MMHG, each
INV	A6535*	Gradient compression stocking thigh length, 40-50 MMHG, each
INV	A6536*	Gradient compression stocking, full length/chap style, 18-30 MMHG, each

KANSAS MEDICAL ASSISTANCE  
PROSTHETIC & ORTHOTIC PROVIDER MANUAL  
APPENDIX

<u>COV.</u>	<u>PROCEDURE</u>	<u>Updated 8/06</u>
	<u>CODE</u>	<u>NOMENCLATURE</u>
INV	A6537*	Gradient compression stocking, full length/chap style, 30-40 MMHG, each
INV	A6538*	Gradient compression stocking, full length/chap style, 40-50 MMHG, each
INV	A6539*	Gradient compression stocking, waist length, 18-30 MMHG, each
INV	A6540*	Gradient compression stocking, waist length, 30-40 MMHG, each
INV	A6541*	Gradient compression stocking, waist length, 40-50 MMHG, each
PA	A6542*	Gradient compression stocking, custom made
PA	A6543*	Gradient compression stocking, lymphedema
INV	A6544**	Gradient compression stocking, garter belt

\* = limit of 8 per year

\*\* = limit of 4 per year

### TRUSSES

	L8300	Truss, single with standard pad
	L8310	Truss, double with standard pads
INV	L8320	Truss, addition to standard pad, water pad
INV	L8330	Truss, addition to standard pad, scrotal pad

### PROSTHETIC SOCKS

INV	L8400	Prosthetic sheath, below knee, each
INV	L8410	Prosthetic sheath, above knee, each
	L8415	Prosthetic sheath, upper limb, each
	L8417	Prosthetic sheath/sock, including a gel cushion layer, below knee or above knee, each
	L8420	Prosthetic sock, wool, below knee, each
INV	L8430	Prosthetic sock, wool, above knee, each
INV	L8435	Prosthetic sock, multiple ply, upper limb, each
	L8440	Prosthetic shrinker, below knee, each
	L8460	Prosthetic shrinker, above knee, each
INV	L8465	Prosthetic shrinker, upper limb, each
INV	L8470	Stump sock, single ply, fitting, below knee, each
INV	L8480	Stump sock, single ply, fitting, above knee, each
INV	L8485	Stump sock, single ply, fitting, upper limb, each

### MISCELLANEOUS

	L8501	Tracheostomy speaking valve
KBH	L8614	Cochlear device/system
KBH	L8615	Headset/headpiece for use with cochlear implant device, replacement
KBH	L8616	Microphone for use with cochlear implant device, replacement
KBH	L8617	Transmitting coil for use with cochlear implant device, replacement
KBH	L8618	Transmitter cable for use with cochlear implant device, replacement
PA, KBH	L8619	Cochlear implant external speech processor, replacement